

TK21 - Key Fob



Our TK21 Key Fob is constructed of durable PC (Polycarbonate) plastic housing and available with most popular 125 KHz and 13.56 MHz RFID chip technologies. It is designed for the secure personal identification and access control applications where photo IDs are not required.

Customized key fobs are welcome

Specifications:

Item No.	TK21
Dimensions	56.2(L) mm x 31.5 (W) mm x 8.5(T) mm (2.212" x 1.240" x 0.335")
Operating Frequency	125 KHz & 13.56 MHz
Reading Range	Depending on the reader design and local installation conditions.
Operating Temperature	-30°C to + 65 °C (-22°F to +149°F)
Storage Temperature	-35°C to + 85 °C (-31°F to +185°F)
Material	PC
Assembly	Ultrasonic Welded
Protection Class	IP66
Standard Color	Blue, Red
Weight	7.2 gm (0.254 oz)
Packaging	1200 pcs (300 pcs/box, 4 boxes/carton)
Available Technologies	EM4100, T5557, Mifare S50 (1K), I.CODE SLI
Options	Custom color available on request. Laser engraving, inkjet marking and pad printing available.

Ref.: TK21-0508

WARRANTY

© RFID SOURCES warrants this product against defects in material and workmanship under normal use and service. The warranty period commences from the date of shipment for a period of one year.

Specifications subject to change without notice.