



## TK30 - Key Fob

Our TK30 Key Fob is constructed of artificial leather housing and available with most popular 125 KHz and 13.56 MHz RFID chip technologies. It is designed for the secure personal identification and access control applications where photo IDs are not required.

**Customized key fobs are welcome**

### Specifications:

Item No.	TK30
Dimensions	58(L) mm x 39(W) mm x 11.5(T) mm - not including the key ring (2.283" x 1.535" x 0.453")
Operating Frequency	125 KHz & 13.56 MHz
Reading Range	Depending on the reader design and local installation conditions.
Operating Temperature	-25°C to + 55 °C (-13°F to +131°F)
Storage Temperature	-25°C to + 65 °C (-13°F to +149°F)
Material	Artificial Leather + PVC Disc
Assembly	Sewing + Lamination
Protection Class	IP66
Standard Color	Black
Weight	11 gm (0.388 oz)
Packaging	1000 pcs (50 pcs/box, 20 boxes/carton)
Available Technologies	EM4100 (EM4102), T5557, Hitag 1/2/S Mifare S50/S70/DESFire, I.CODE SLI, Legic, etc.
Options	Custom leather shape available on request. Stamping and branding printings available.

Ref.: TK30-0412

### WARRANTY

© RFID SOURCES warrants this product against defects in material and workmanship under normal use and service. The warranty period commences from the date of shipment for a period of one year.

Specifications subject to change without notice.