## Material Safety Data Sheet

acc. to OSHA and ANSI

1 Identification of substance: • Product details: • Trade name: Silicon powder • Manufacturer/Supplier: Nanostructured & Amorphous Materials, Inc. 16840 Clay Road, Suite #113 Houston, TX 77084, USA 2 Composition/Data on components: • Chemical characterization: Description: (CAS#) Silicon (CAS# 7440-21-3), 98% • Identification number(s): • EINECS Number: 231-130-8 3 Hazards identification • Hazard description: Xi Irritant F Highly flammable • Information pertaining to particular dangers for man and environment R 11 Highly flammable. R 36/37/38 Irritating to eyes, respiratory system and skin. 4 First aid measures • After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. • After skin contact Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice. • After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. • After swallowing Seek immediate medical advice. 5 Fire fighting measures • Suitable extinguishing agents Extinguishing powder. Do not use water. For safety reasons unsuitable extinguishing agents Water Carbon dioxide • Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures Person-related safety precautions: Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources • Measures for environmental protection: Do not allow material to be released to the environment without proper governmental permits. • Measures for cleaning/collecting: Ensure adequate ventilation. Keep away from ignition sources. • Additional information: See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage • Handling • Information for safe handling: Keep container tightly sealed. Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

• Information about protection against explosions and fires: Keep ignition sources away. Protect against electrostatic charges.		
• Storage		
• Requirements to be met by storerooms and receptacles: Store in a cool location.		
• Information about st Store away from oxid Store away from halo Store away from wate Do not store togethe	ogens. er/moisture.	
	about storage conditions:	
Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.		
Components with limi workplace:	t values that require monitoring at the	
Silicon		
ACGIH TLV	mg/m3 10	
Belgium TWA	10	
Denmark TWA	10	
France TWA	10	
Ireland TWA	5 (respirable); 10 (inhalable)	
Netherlands TWA Switzerland TWA	10 4	
United Kingdom TWA	4 4 (respirable dust); 10 (total	
inhalable dust)		
USA PEL	5 (respirable fraction); 15 (total	
dust)		
• Additional informati	.on: No data	

```
• General protective and hygienic measures
   The usual precautionary measures for handling chemicals
  should be followed.
  Keep away from foodstuffs, beverages and feed.
  Remove all soiled and contaminated clothing immediately.
  Wash hands before breaks and at the end of work.
  Avoid contact with the eyes and skin.
• Breathing equipment:
  Use suitable respirator when high concentrations are
  present.
• Protection of hands: Impervious gloves
• Eye protection: Safety glasses
• Body protection: Protective work clothing.
9 Physical and chemical properties:
• Form: Powder
• Color: Yellow brown
• Odor: Odorless
                                 Value/Range Unit
                                                      Method
• Change in condition
                                               1410. ° C
• Melting point/Melting range:
                                                2355 ° C

    Boiling point/Boiling range:

• Sublimation temperature / start: Not determined
• Flash point:
                                     Not applicable

    Flammability (solid, gaseous)

                                     Highly flammable.
                                     Not determined
• Ignition temperature:
• Decomposition temperature: Not determined
• Explosion limits:
                                     Not determined
 Lower:
```

• Upper:	Not determined	
• Vapor pressure:	Not determined	
• Density:	at 20 ° C 2.329 g/cm <sup>3</sup>	
• Solubility in / Miscil	bility with	
• Water:	Insoluble	
10 Stability and reactivity	.ty	
_	<b>A / conditions to be avoided:</b> ot occur if used and stored according	
_	Reacts violently with oxidizing agents	
• Dangerous products of decomposition: Metal oxide fume		
11 <u>Toxicological information</u> <ul> <li>Acute toxicity:</li> <li><u>LD/LC50 values that are relevant for classification:</u></li> </ul> Oral: LD50: 3160 mg/kg (rat) Irritation of eyes: mild: 3 mg (rbt)		
• Primary irritant effe	ect:	
• on the skin: Irritant	to skin and mucous membranes.	
• on the eye: Irritating	ng effect.	
• Sensitization: No sens	sitizing effects known.	
	<b>coxicity:</b> an inert material that seems to have on lungs and does not appear to	

produce significant organic disease or toxic effects when

exposures are kept under reasonable control. • Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. 12 Ecological information: • General notes: Do not allow material to be released to the environment without proper governmental permits. 13 Disposal considerations • Product: • Recommendation Consult state, local or national regulations for proper disposal. • Uncleaned packagings: • Recommendation: Disposal must be made according to official regulations. 14 Transport information • DOT regulations: • Hazard class: 4.1 • Identification number: UN3089 • Packing group: III • Proper shipping name (technical name): Metal powders, flammable, n.o.s. (silicon powder) • Land transport ADR/RID (cross-border) 4.1 Flammable solids • ADR/RID class: 13c Item:

• Danger code (Kemler):	40	
• UN-Number:	3089	
• Description of goods: (silicon	Metal powders, flammable, n.o.s.	
	powder)	
• Maritime transport IMDG:		
• IMDG Class:	4.1	
• UN Number:	3089	
<ul> <li>Packaging group:</li> </ul>	III	
• Proper shipping name:	Metal powders, flammable, n.o.s.	
(silicon	powder)	
• Air transport ICAO-TI and IATA-DGR:		
• ICAO/IATA Class:	4.1	
• UN/ID Number:	3089	
<ul> <li>Packaging group:</li> </ul>	III	
• Proper shipping name:	Metal powders, flammable, n.o.s.	
(silicon	powder)	
15 Regulations		
<ul> <li>Product related hazard informations:</li> </ul>		
• Hazard symbols: Xi Irritant F Highly flammable		
• Risk phrases: 11 Highly flammable. 36/37/38 Irritating to eyes, respiratory system and skin.		
• Safety phrases: 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. 36/37/39 Wear suitable protective clothing, gloves and		

eye/face protection.

- National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory.
- Information about limitation of use: For use only by technically qualified individuals.

## 16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.