

### Safety Data Sheet

Version 4.8 Revision date 10/25/2019

### **1. PRODUCT AND COMPANY IDENTIFICATION**

#### 1.1 Product identifiers

Product name : Iron Nanopowder Product Number : 0263HW CAS-No. : 7439-89-6

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

#### 1.3 Details of the supplier of the safety data sheet

Company :	Nanostructured & Amorphous Materials Inc.
	1526 Katy Gap Rd, Suite #302,
	Katy, TX 77494, USA

Telephone :	+1 281-858-6571
Fax :	+1 281-858-6507

#### 1.4 Emergency telephone number

Emergency Phone #: +1 832-800-0355

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

**GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)** Flammable solids (Category 1), H228 For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s) H228 Flammable solid.

Frecautionary statement(s)	ecautionary statement(s	;)
----------------------------	-------------------------	----

P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P280	Wear protective gloves/ eye protection/ face protection.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for
	extinction.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS None

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Formula :	Fe
Molecular weight :	55.85 g/mol
CAS-No. :	7439-89-6
EC-No. :	231-096-4

#### Hazardous components

Component	Classification	Concentration
Iron powder		
	Flam. Sol. 1; H228	<= 100 %
		0.10

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

## In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

5.	FIREFIGHTING MEASURES
5.1	Extinguishing media
	Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
5.2	Special hazards arising from the substance or mixture No data available
5.3	Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
5.4	Further information Use water spray to cool unopened containers.
6.	ACCIDENTAL RELEASE MEASURES
6.1	<b>Personal precautions, protective equipment and emergency procedures</b> Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. For personal protection see section 8.
6.2	Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
6.3	<b>Methods and materials for containment and cleaning up</b> Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).
6.4	Reference to other sections For disposal see section 13.
7.	HANDLING AND STORAGE
7.1	Precautions for safe handling
	Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of electrostatic charge. For precautions see section 2.2.
7.2	Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Moisture sensitive. Keep in a dry place. Storage class (TRGS 510): Flammable solid hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

Contains no substances with occupational exposure limit values.

## Components with workplace control parameters

## 8.2 Exposure controls

## Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

## Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested: Dermatril®

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested: Dermatril®

## Test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## **Body Protection**

Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied

air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a) Appearance	Form: powder
b) Odour	No data available
c) Odour Threshold	No data available
d) pH	No data available
e) Melting point/freezing point	Melting point/range: 1,535 °C (2,795 °F) - lit.
<ul> <li>f) Initial boiling point and boiling range</li> </ul>	2,750 °C (4,982 °F) - lit
g) Flash point	No data available
h) Evaporation rate	No data available
i) Flammability (solid, gas)	The substance or mixture is a flammable solid with the category 1.
<ul> <li>j) Upper/lower</li> <li>flammability or</li> <li>explosive limits</li> </ul>	No data available
k) Vapour pressure	No data available
I) Vapour density	No data available
m) Relative density	7.86 g/cm3 at 25 °C (77 °F)
n) Water solubility	insoluble
<ul> <li>o) Partition coefficient: n-octanol/water</li> </ul>	No data available
p) Auto-ignition temperature	No data available
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

9.2	Other safety information No data available	
10. S	TABILITY AND REACTIVITY	
10.1	<b>Reactivity</b> No data available	
10.2	Chemical stability Stable under recommended storage conditions.	
10.3	Possibility of hazardous reactions No data available	
10.4	<b>Conditions to avoid</b> Heat, flames and sparks.	
10.5	Incompatible materials Acids, Oxygen, Strong oxidizing agents, Halogens, Phosphorus	
10.6	Hazardous decomposition products Other decomposition products - No data available Hazardous decomposition products formed under fire conditions Iron oxides In the event of fire: see section 5	
11. T	OXICOLOGICAL INFORMATION	
11.1	Information on toxicological effects	
	Acute toxicity LD50 Oral - Rat - 30,000 mg/kg Remarks: Nutritional and Gross Metabolic: Weight loss or decreased weight gain. Inhalation: No data available Dermal: No data available	
	Skin corrosion/irritation No data available	
	Serious eye damage/eye irritation No data available	
	Respiratory or skin sensitisation No data available	
	Germ cell mutagenicity No data available	
	Carcinogenicity	
	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.	
	ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.	

a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. **Reproductive toxicity** No data available No data available Specific target organ toxicity - single exposure No data available Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available Additional Information RTECS: NO4565500 Overdose of iron compounds may have a corrosive effect on the gastrointestinal mucosa and be followed by necrosis, perforation, and stricture formation. Several hours may elapse before symptoms that can include epigastric pain, diarrhea, vomiting, nausea, and hematemesis occur. After apparent recovery a person may experience metabolic acidosis, convulsions, and coma hours or days later. Further complications may develop leading to acute liver necrosis that can result in death due to hepatic coma., Long term inhalation exposure to iron (oxide fume or dust) can cause siderosis. Siderosis is considered to be a benign pneumoconiosis and does not normally cause significant physiologic impairment. Siderosis can be observed on x-rays with the lungs having a mottled appearance., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. 12. ECOLOGICAL INFORMATION 12.1 Toxicity No data available 12.2 Persistence and degradability No data available 12.3 **Bioaccumulative potential** No data available 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted 12.6 Other adverse effects No data available 13. DISPOSAL CONSIDERATIONS

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as

13.1	Waste treatment methods		
	<b>Product</b> Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.		
	<b>Contaminated packaging</b> Dispose of as unused product.		
14. TI	RANSPORT INFORMATION		
	DOT (US) UN number: 3089 Class: 4.1 Packing group: II Proper shipping name: Metal powders, flammable, n.o.s. Reportable Quantity (RQ):		
	Poison Inhalation Hazard: No		
	IMDG UN number: 3089 Class: 4.1 Packing group: II EMS-No: F-G, S-G Proper shipping name: Metal powders, flammable, n.o.s.		
	IATA UN number: 3089 Class: 4.1 Packing group: II Proper shipping name: Metal powders, flammable, n.o.s.		
15. R	EGULATORY INFORMATION		
<b>SARA 302 Components</b> No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.			
	SARA 313 Components This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.		
	SARA 311/312 Hazards Fire Hazard		
Massachusetts Right To Know Components No components are subject to the Massachusetts Right to Know Act.			
	Pennsylvania Right To Know Components		
	CAS-No.Revision DateIron Powder7439-89-6		
	New Jersey Right To Know Components CAS-No. Revision Date		
	CAS-No.Revision DateIron Powder7439-89-6		
	<b>California Prop. 65 Components</b> This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.		

## 16. OTHER INFORMATION

#### Full text of H-Statements referred to under sections 2 and 3.

Flam. Sol.	Flammable solids
H228	Flammable solid.

## HMIS Rating

Health hazard: 0 Chronic Health Hazard: \* Flammability: 2 Physical Hazard 2

#### NFPA Rating

Health hazard: 0 Fire Hazard: Reactivity Hazard 2

### **Further information**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with

any other product or process, is the responsibility of the user.